IATF16949:2016

IATF 16949:2016 ISO9001

amfori BSCI Trade with purpose Approved

RoHS 2002/95/EC

ECE R10

CE



LED HEADLIGHT BULBS CATALOGUE

AUTOMOTIVE SOLUTIONS

Foshan Xingyuan Auto Accessories Co.,Ltd

LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-35

ZT-35 SERIES 1500LM 18W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	18 LED SA chips	18W	1500LM	7000K-7500K
H4	12-24V	36 LED SA chips	L : 18W H: 18W	L : 1200LM H: 1400LM	7000K-7500K
H7	12-24V	18 LED SA chips	18W	1500LM	7000K-7500K
H11	12-24V	18 LED SA chips	18W	1500LM	7000K-7500K
9005	12-24V	18 LED SA chips	18W	1500LM	7000K-7500K
9006	12-24V	18 LED SA chips	18W	1500LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



ZT-26


ZY-26 SERIES 1900LM 18W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED










H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
H4	12-24V	24 LED SA chips	L : 18W H: 18W	L : 1300LM H: 1600LM	7000K-7500K
H7	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
H11	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
9005	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
9006	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZJ-22

ZJ-22 SERIES 2100LM 24W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	6 LED SA chips	22W	2000LM	7000K-7500K
H4	12-24V	12 LED SA chips	L : 24W H: 24W	L : 1500LM H: 1800LM	7000K-7500K
H7	12-24V	6 LED SA chips	24W	2100LM	7000K-7500K
H11	12-24V	6 LED SA chips	24W	2100LM	7000K-7500K
9005	12-24V	6 LED SA chips	24W	2100LM	7000K-7500K
9006	12-24V	6 LED SA chips	24W	2100LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



JM2

JM2 SERIES 2500LM 25W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED






High Intensity Custom-Made LED Chips.

+300% Brightness



High Intensity Custom-Made LED Chips.

+360° Rotatable Socket



High Speed Fan


Fast Heat Dissipation





H1 | H4 | H7 | H11/H9/H8 | 9012 | 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H7	12-24V	8 LED SA chips	25W	2500LM	7000K-7500K
H4	12-24V	8 LED SA chips	25W	2500LM	7000K-7500K
9005	12-24V	8 LED SA chips	25W	2500LM	7000K-7500K
9006	12-24V	8 LED SA chips	25W	2500LM	7000K-7500K
H11	12-24V	8 LED SA chips	25W	2500LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-34

ZT-34 SERIES 2800LM 30W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	30W	2800LM	7000K-7500K
H4	12-24V	24 LED SA chips	L :30W H: 30W	L : 2800LM H: 2800LM	7000K-7500K
H7	12-24V	12 LED SA chips	30W	2800LM	7000K-7500K
H11	12-24V	12 LED SA chips	30W	2800LM	7000K-7500K
9005	12-24V	12 LED SA chips	30W	2800LM	7000K-7500K
9006	12-24V	12 LED SA chips	30W	2800LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



ZJ-64


ZJ-64 SERIES 3300LM 35W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED










H1 H4 H7 H8/H9/H11 H10/HB3/HB4

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H7	12-24V	12 LED SA chips	35W	3300LM	7000K-7500K
H4	12-24V	24 LED SA chips	35W	2800LM	7000K-7500K
9005	12-24V	12 LED SA chips	35W	3300LM	7000K-7500K
9006	12-24V	12 LED SA chips	35W	3300LM	7000K-7500K
H11	12-24V	12 LED SA chips	35W	3300LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



ZJ-58

ZJ-58 SERIES 4200LM 50W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED












H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	45W	3800LM	7000K-7500K
H4	12-24V	24 LED SA chips	L : 50W H: 50W	L : 2800LM H: 3800LM	7000K-7500K
H7	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
H11	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
9005	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
9006	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



S7


S7 SERIES 4200LM 50W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED










H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	45W	3800LM	7000K-7500K
H4	12-24V	24 LED SA chips	L : 50W H: 50W	L : 2800LM H: 3800LM	7000K-7500K
H7	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
H11	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
9005	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K
9006	12-24V	12 LED SA chips	50W	4200LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE



ZJ-60


ZJ-60 SERIES 4800LM 60W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED










H1 H4 H7 H8/H9/H11 H10/HB3/HB4

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H7	12-24V	12 LED SA chips	60W	4800LM	7000K-7500K
H4	12-24V	24 LED SA chips	60W	3500LM	7000K-7500K
9005	12-24V	12 LED SA chips	60W	4800LM	7000K-7500K
9006	12-24V	12 LED SA chips	60W	4800LM	7000K-7500K
H11	12-24V	12 LED SA chips	60W	4800LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZJ-75


ZJ-75 SERIES 8800LM 100W
LED HEADLIGHT BULBS 7500K

ECE R10 | 12-24V | LED





Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K
H4	12-24V	12 LED SA chips	100W	8800LM	7000K-7500K
H7	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K
H11	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K
9005	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K
9006	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K
9012	12-24V	6 LED SA chips	100W	8800LM	7000K-7500K



LED HEADLIGHT BULBS


PREMIUM STYLING, LONG LIFE PERFORMANCE



ZJ-57


ZJ-57 SERIES 2300LM 26.4W
LED HEADLIGHT BULBS 7500K

ECE R10 | 13.2V | LED










H1 H4 H7 H8/H9/H11 H10/HB3/HB4

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H7	13.2V	16 LED SA chips	26W	2300LM	7000K-7500K
H4	12V	24 LED SA chips	24W	1800LM	7000K-7500K
9005	13.2V	16 LED SA chips	26W	2300LM	7000K-7500K
9006	13.2V	16 LED SA chips	26W	2300LM	7000K-7500K
H11	13.2V	16 LED SA chips	26W	2300LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-31

ZT-31 SERIES 2400LM 28W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	24W	2200LM	7000K-7500K
H4	12-24V	24 LED SA chips	L : 28W H: 28W	L : 1800LM H: 2200LM	7000K-7500K
H7	12-24V	12 LED SA chips	28W	2400LM	7000K-7500K
H11	12-24V	12 LED SA chips	28W	2400LM	7000K-7500K
9005	12-24V	12 LED SA chips	28W	2400LM	7000K-7500K
9006	12-24V	12 LED SA chips	28W	2400LM	7000K-7500K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-32

ZT-32 SERIES 1800LM 32W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H4	12-24V	12 LED SA chips	L : 32W H: 32W	L : 1600LM H: 2200LM	7000K-7500K
H7	12-24V	6 LED SA chips	32W	1800LM	7000K-7500K
H11	12-24V	6 LED SA chips	32W	1800LM	7000K-7500K
9005	12-24V	6 LED SA chips	32W	1800LM	7000K-7500K
9006	12-24V	6 LED SA chips	32W	1800LM	7000K-7500K



LED HEADLIGHT BULBS


PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-34

ZT-34 SERIES 7000LM 85W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	30 LED SA chips	60W	4500LM	7000K-7500K
H4	12-24V	60 LED SA chips	L : 85W H: 85W	L : 3800LM H: 5500LM	7000K-7500K
H7	12-24V	30 LED SA chips	85W	7000LM	7000K-7500K
H11	12-24V	30 LED SA chips	85W	7000LM	7000K-7500K
9005	12-24V	30 LED SA chips	85W	7000LM	7000K-7500K
9006	12-24V	30 LED SA chips	85W	7000LM	7000K-7500K



LED HEADLIGHT BULBS


PREMIUM STYLING, LONG LIFE PERFORMANCE



D series

ECE R10 | 13.5V | LED


ZJ-70 SERIES 4000LM 35W
LED HEADLIGHT BULBS 7000K



D3S



D1S D5S D2S D4S




D1S D2S D3S D4S D5S







Part no.	Voltage	Chip	Power	Lumen	Temp. colore
D1S	13.5V	30 LED SA chips	35W	4000LM	6000K-7000K
D2S	13.5V	30 LED SA chips	35W	4000LM	6000K-7000K
D3S	13.5V	30 LED SA chips	35W	4000LM	6000K-7000K
D4S	13.5V	30 LED SA chips	35W	4000LM	6000K-7000K
D5S	13.5V	30 LED SA chips	35W	3000LM	6000K-7000K



LED HEADLIGHT BULBS

PREMIUM STYLING, LONG LIFE PERFORMANCE




ZT-27

ZT-26 SERIES 1900LM 18W
LED HEADLIGHT BULBS 7500K


ECE R10 | 12-24V | LED





H1 H4 H7 H11 9005/9006

Part no.	Voltage	Chip	Power	Lumen	Temp. colore
H1	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
H4	12-24V	24 LED SA chips	L : 18W H: 18W	L : 1300LM H: 1600LM	7000K-7500K
H7	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
H11	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
9005	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K
9006	12-24V	12 LED SA chips	18W	1900LM	7000K-7500K



IATF16949:2016

※ The parameters of each items in this catalog is just for your reference.
※ There may be a little differences on parameters for each times base on different requirement of customers.