TÜV CERT ISO9001

amfori BSCI Trade with purpose Approved

IATF 16949:2016

RoHS 2002/95/EC

EMC R10

SAE


XYAL®


LED WORK LAMP

WITH AMBER STROBE FUNCTION









CE E

Foshan Xingyuan Auto Accessories Co.,Ltd


LED Work Lights

Item NO: **210718BK**

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10









NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/RFI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**24*1W**
Effective Lumen	**1200LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210719BK**

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/RFI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**24*1W**
Effective Lumen	**1200LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210720BK**






NEW LENS

DT plug is available



DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF



Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**24*1W**
Effective Lumen	**1200LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights

Item NO: **210721BK**





NEW LENS

DT plug is available

DIE-CAST HOUSING


CISPR 25 RATED


RoHS Certificatte AVAILABLE

E-MARK AVAILABLE

10-40V DC INPUT

IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**24*1W**
Effective Lumen	**1200LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210722BK**










NEW LENS DT plug is available







Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**


APPLICATION



LED Work Lights

Item NO: **210723BK**








NEW LENS DT plug is available

DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**

APPLICATION

LED Work Lights


Item NO: **210722BK-V**







NEW LENS DT plug is available





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210723BK-V**



FLOODLIGHT | CE | IP68K | 1600 LUMEN | 18W


FLOOD LIGHT | EMC Class 3 | ECE Reg 10





NEW LENS | DT plug is available

DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**

APPLICATION



LED Work Lights

Item NO: **210724BK**

FLOODLIGHT | CE | IP68K | 1000 LUMEN | 15W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10







NEW LENS




DT plug is available






AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF



Specifications

Voltage	10-40V
Power	15W
Light Source	20*1W
Effective Lumen	1000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210725BK**








NEW LENS



DT plug is available








Specifications

Voltage	10-40V
Power	15W
Light Source	20*1W
Effective Lumen	1000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights

Item NO: **210726BK**

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 18W


FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS DT plug is available






AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	18W
Light Source	24*1W
Effective Lumen	1200LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights

Item NO: **210727BK**

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS



DT plug is available






AL A360 DIE-CAST HOUSING | ENEC CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	18W
Light Source	24*1W
Effective Lumen	1200LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210728BK**






NEW LENS



DT plug is available






Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights

Item NO: **210729BK**

FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65







NEW LENS DT plug is available




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF



Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210730BK**








NEW LENS



DT plug is available










Specifications

Voltage	**10-40V**
Power	**22W**
Light Source	**36*1W**
Effective Lumen	**2000LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

Back cover



APPLICATION



LED Work Lights

Item NO: **210731BK**







NEW LENS



DT plug is available








DIE-CAST HOUSING · CISPR 25 RATED · RoHS Certificatte AVAILABLE · E-MARK AVAILABLE · 10-40V DC INPUT · IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210732BK**






NEW LENS DT plug is available








DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF


Specifications

Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION




LED Work Lights

Item NO: **210733BK**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | EMC Class 3 | ECE Reg 65








NEW LENS

DT plug is available




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF




Specifications

Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION



LED Work Lights


Item NO: **210718D-BK**

FLOODLIGHT | CE | IP68K | 1000 LUMEN | 15W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65

2 LIGHT IN ONE!









NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**15W**
Light Source	**6*1W / 6*3W**
Effective Lumen	**1000LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210719D-BK**

FLOODLIGHT | CE | IP68K | 1000 LUMEN | 15W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65

2 LIGHT IN ONE!








NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/RFI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**15W**
Light Source	**6*1W / 6*3W**
Effective Lumen	**1000LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210720D-BK**

FLOODLIGHT | CE | IP68K | 1000 LUMEN | 15W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65



2 LIGHT IN ONE!






NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/RFI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**15W**
Light Source	**6*1W / 6*3W**
Effective Lumen	**1000LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210721D-BK**

FLOODLIGHT | CE | IP68K | 1000 LUMEN | 15W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65



2 LIGHT IN ONE!






NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**15W**
Light Source	**6*1W / 6*3W**
Effective Lumen	**1000LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**PC**
Bracket Material	**Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210722D-BK**




2 LIGHT IN ONE!






NEW LENS DT plug is available

DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**16W**
Light Source	**8*1W / 8*3W**
Effective Lumen	**1500LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION





LED Work Lights

Item NO: **210723D-BK**




2 LIGHT IN ONE!






NEW LENS DT plug is available









Specifications

Voltage	**10-40V**
Power	**16W**
Light Source	**8*1W / 8*3W**
Effective Lumen	**1500LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210722D-BK-V**



2 LIGHT IN ONE!

FLOODLIGHT | CE | IP68K | 1500 LUMEN | 16W


FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65





NEW LENS | DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**16W**
Light Source	**8*1W / 8*3W**
Effective Lumen	**1500LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights


Item NO: **210723D-BK-V**



2 LIGHT IN ONE!

FLOODLIGHT | CE | IP68K | 1500 LUMEN | 16W


FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65






NEW LENS | DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF







Specifications

Voltage	**10-40V**
Power	**16W**
Light Source	**8*1W / 8*3W**
Effective Lumen	**1500LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION



LED Work Lights

Item NO: **210724D-BK**

FLOODLIGHT | CE | IP69K | 1000 LUMEN | 14W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65

2 LIGHT IN ONE!







NEW LENS



DT plug is available





AL A360 DIE-CAST HOUSING | EMC/RE CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP69K WATERPROOF


Amber flashing Satisfy ECE R65



Specifications

Voltage	10-40V
Power	14W
Light Source	5*1W / 5*3W
Effective Lumen	1000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210725D-BK**

2 LIGHT IN ONE!






NEW LENS




DT plug is available

FLOODLIGHT | CE | IP69K | 1000 LUMEN | 14W


FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65





AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP69K WATERPROOF


Amber flashing Satisfy ECE R65



Specifications

Voltage	10-40V
Power	14W
Light Source	5*1W / 5*3W
Effective Lumen	1000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210726D-BK**

2 LIGHT IN ONE!






NEW LENS




DT plug is available

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 16W


FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65





AL A360 DIE-CAST HOUSING | EMC CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF


Amber flashing Satisfy ECE R65



Specifications

Voltage	10-40V
Power	16W
Light Source	6*1W / 6*3W
Effective Lumen	1200LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210727D-BK**

2 LIGHT IN ONE!






NEW LENS




DT plug is available

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 16W


FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65





AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF


Amber flashing Satisfy ECE R65



Specifications

Voltage	10-40V
Power	16W
Light Source	6*1W / 6*3W
Effective Lumen	1200LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210728D-BK**

FLOODLIGHT | CE | IP68K | 1800 LUMEN | 22W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65

2 LIGHT IN ONE!









NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	9*1W / 9*3W
Effective Lumen	1800LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210729D-BK**

FLOODLIGHT | CE | IP68K | 1800 LUMEN | 22W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65

2 LIGHT IN ONE!









NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMC CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	9*1W / 9*3W
Effective Lumen	1800LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210730D-BK**

FLOODLIGHT | CE | IP68K | 1800 LUMEN | 22W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65



2 LIGHT IN ONE!







NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	9*1W / 9*3W
Effective Lumen	1800LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210731D-BK**

FLOODLIGHT | CE | IP68K | 1800 LUMEN | 22W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65



2 LIGHT IN ONE!






NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	9*1W / 9*3W
Effective Lumen	1800LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights


Item NO: **210732D-BK**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65




2 LIGHT IN ONE!






NEW LENS | DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF


Specifications

Voltage	10-40V
Power	35W
Light Source	16*1W / 16*3W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION



LED Work Lights


Item NO: **210733D-BK**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65



2 LIGHT IN ONE!






NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65




AL A360 DIE-CAST HOUSING | EMC CISPR 25 RATED | RoHS Certificate AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF


Specifications

Voltage	10-40V
Power	35W
Light Source	16*1W / 16*3W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION




LED Work Lights

Item NO: **210719BK-WH**

FLOODLIGHT | CE | IP68K | 1200 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/RE CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 12-40V DC INPUT | IP68 WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**24*1W**
Effective Lumen	**1200LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210722BK-WH**

FLOODLIGHT | CE | IP68K | 1600 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS



DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**

APPLICATION




LED Work Lights

Item NO: **210723BK-V-WH**

FLOODLIGHT | CE | IP68K | 1600 LUMEN | 18W

FLOOD LIGHT | EMC Class 3 | ECE Reg 10








NEW LENS | DT plug is available

AL A360 DIE-CAST HOUSING | EMI/REI CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF





Specifications

Voltage	**10-40V**
Power	**18W**
Light Source	**32*1W**
Effective Lumen	**1600LM**
Current	**12V @1.5A,24V@1.33A**
Temperature	**-30℃~70℃**
Lens Material	**pc**
Bracket Material	**304 Stainless steel**

APPLICATION



LED Work Lights

Item NO: **210731BK-WH**

FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W

FLOOD LIGHT | EMC Class 3 | ECE Reg 65









NEW LENS



DT plug is available






AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF



Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: **210733BK-WH**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | EMC Class 3 | ECE Reg 65









NEW LENS



DT plug is available








AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION



LED Work Lights

Item NO: **210733D-BK-WH**





2 LIGHT IN ONE!




NEW LENS




DT plug is available

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | Strobe Light | EMC Class 3 | ECE Reg 65





AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Amber flashing Satisfy ECE R65




Specifications

Voltage	10-40V
Power	35W
Light Source	16*1W / 16*3W
Effective Lumen	3000LM
Current	12V @1.5A,24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover







APPLICATION



LED Work Lights

Item NO: **210728BK-RGSW**

FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65





NEW LENS







AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V@1.8A,24V@0.9A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel


Back cover







ON/OFF



APPLICATION



LED Work Lights

Item NO: **210729BK-RGSW**

FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65





NEW LENS







AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V@1.8A,24V@0.9A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel


Back cover







ON/OFF



APPLICATION



LED Work Lights

Item NO: **210730BK-RGSW**


FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W

FLOOD LIGHT | EMC Class 3 | ECE Reg 65









AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF



Specifications


Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V@1.8A,24V@0.9A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover









APPLICATION



LED Work Lights

Item NO: **210731BK-RGSW**

FLOODLIGHT | CE | IP68K | 2000 LUMEN | 22W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65






NEW LENS







AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V@1.8A,24V@0.9A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel


Back cover







ON/OFF



APPLICATION



LED Work Lights

Item NO: **210732BK-RGSW**


FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W

FLOOD LIGHT | EMC Class 3 | ECE Reg 65











AL A360 DIE-CAST HOUSING | EMARK CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications


Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V@2.9A,24V@1.5A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover














APPLICATION



LED Work Lights

Item NO: **210732BK-RGSW**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65





NEW LENS







AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V@2.9A,24V@1.5A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel


Back cover








ON/OFF







APPLICATION



LED Work Lights

Item NO: **210733BK-RGSW**

FLOODLIGHT | CE | IP68K | 3000 LUMEN | 35W


FLOOD LIGHT | EMC Class 3 | ECE Reg 65





NEW LENS







AL A360 DIE-CAST HOUSING | CISPR 25 RATED | RoHS Certificatte AVAILABLE | E-MARK AVAILABLE | 10-40V DC INPUT | IP68K WATERPROOF

Specifications

Voltage	10-40V
Power	35W
Light Source	64*1W
Effective Lumen	3000LM
Current	12V@2.9A,24V@1.5A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel


Back cover








ON/OFF





APPLICATION





2024.07.04